



Peel and stick



Peel and Stick Wood

Peel and Stick Wood: Pine wood block from Canada, through processing to be light and natural DIY self-adhesive wood. **FSC** available.

Color Collection-18 colors available



SW-019	Ash
SW-005	White Crack
SW-010	Pure White
SW-012	White Brushed
SW-011	Mist
SW-024	Silver Grey
SW-015	Rock
SW-014	Rain
SW-013	Steam
SW-016	Athens
SW-020	Caramel
SW-017	Autumn
SW-023	Chestnut
SW-022	Wheat
SW-021	Almond
SW-028	Earth
SW-027	Sky Blue
SW-025	Spring

Good Effects after Installation, DIY Patterns



Patterns after Installation

Horizontal	Vertical	Alternate Horizontal	Alternate Vertical	Geometrical	Chevron Pattern	Weaved Pattern

Displaying board story:


One of our customers showed interest to our Peel and stick wood and kept contact with us for one year, but he didn't know how to start to promote on his market. Until he saw below displaying board we designed, he immediately placed 2*40't containers and also ordered 200 sets of the displaying board, because he think it's very helpful and useful for his customers to promote to the end customers. (More details please see the PDF attachment)



Selling point:

A: Easy installation

Peel and stick



B: 200° high temperature carbonization



B: Slots on the back, to avoid expansion.

D: Press resin by vacuum high pressure to fill up cytoderm

E: Environmental varnish painting for six sides.

Large Quantity for container load, light weight saves transportation cost.

Loadability: 3248sqm/20't container, 7714sqm/40't container

Packing: 12 pieces per carton(1.81 sqm)

Size/pc: 1180x128x4.5mm

Surface: Natural brushed/Horizontal saw cut/Oblique saw cut

Mix Free Length Packing:

Layer	Size of board X QTY of board	
1	L1180mm X 128mm	X 1
2	L1180mm X 128mm	X 1
3	L1180mm X 128mm	X 1
4	L1180mm X 128mm	X 1
5	L1180mm X 128mm	X 1
6	L1180mm X 128mm	X 1
7	L1180mm X 128mm	X 1
8	L1180mm X 128mm	X 1
9	L1180mm X 128mm	X 1
10	L1180mm X 128mm	X 1
11	L590mm X 128mm	X 2
12	L750mm X 128mm	X 1
	L430mm X 128mm	X 1

Natural brushed surface



Horizontal saw cut




Oblique saw cut



Processing method

Import standard size wood block 140(L)x14(W)x38(H) ——Carbonize deeply to solidify the Physical system of wood(3days) ——Cut standard length and width by machines ——Press resin by vacuum high pressure to fill up cytoderm ——Stoving ——Brush ——Thickness fixed ——Width fixed ——making slots on the back, to avoid expansion ——Painting and protect by environmental varnish.



Opening block



Wood block preparation



Paiting



Carbonization:
kill all vermin
and keep
physical stably.



Packing: Carton packing and carton wrapped by plastic film to protect well the products.

Certificate for export: Commodity Inspection Certificate, Fumigation Certificate (Per customer's requirement +100USD/container)

